

TECHNICAL DATA SHEET

0890 100 63

Adhesive Remover

Solvent mixture for dissolving or removing adhesives and sealants

Fields of application:

For the removal of uncured PU or hybrid adhesives and sealants on tools and soiled, non-porous surfaces

Properties:

- Good dissolving power
- Silicone-free

Application:

Remove larger quantities of adhesive/sealant with a spatula. Either spray the remaining contamination with Bond+Seal remover and wipe off with a clean cloth, or spray Adhesive remover on a cloth and wipe off the surfaces.

Technical data

| | |
|-----------------------------|-----------------------------------|
| Shape | Aerosol |
| Release agent | Carbon dioxide (CO ₂) |
| Colour | Transparent |
| Odour | Solvent-like |
| pH value | 7 |
| Can pressure at 20°C | 6 bar |
| Density (active ingredient) | 0.75 g/cm ³ |
| Water solubility | Insoluble |
| Flash point | 25°C |
| Biodegradability | No |
| Silicone and AOX-free | Yes |
| Processing temperature | Room temperature |

TECHNICAL DATA SHEET

Notes:

Do not use on porous substrates.

We provide this advice based on our own tests and experience and to the best of our knowledge. We assume no liability for the application results in individual cases, however, due to the large number of applications and the storage and application conditions that lie outside the scope of our influence.

This also applies to the use of the non-binding technical and commercial customer services provided by us. We always recommend that you conduct your own tests. We guarantee the consistent quality of our products. We reserve the right to make technical changes and to further develop our products.